DYNASET 220 BAR JETTING

HIGH PRESSURE JETTING NOZZLE 220 BAR



Description

The Dynaset 220 Bar jetting pump is used as a field proven, user friendly and highly effective tool for subsea cleaning from ROV.

The high pressure jetter is based around the Dynaset HPW pump and is capable of jetting at 220 bar with the standard nozzle fitted.

The system is supplied with all necessary components, hoses for connection to ROV, lance hose, manipulator handle and turbo nozzle.

Typical Operations

- Cleaning Operation
- High Power Jetting

Features

- Max pump pressure 220 bar
- Max pump flow 70 L/min
- Jetting and gun included
- Round and Flat nozzle included
- Compact and low weight



SPECIFICATIONS

DYNASET 220 BAR JETTING KIT

General Technical Specifications

Type Dynaset 220 Bar Jetting Kit

Part Number HPW-220

Dimensions L x W x H 575 mm x 570 mm x 540 mm

Weight in air / submerged ~35 kg / ~30 kg

Hydraulic

Max Input Pressure207 BarMax Output Pressure220 BarMax Input Flow50 L/minMax Output Flow70 L/min

Connection ROV Pressure JIC #12
Connection ROV Return JIC #12

Technical

Depth Rating MSW 3000

