TORQUE GEARBOX CLASS 6-7

ISO CLASS 4 INPUT CLASS 6-7 OUTPUT 40 KNM TORQUE OUTPUT



Description

The Class 6-7 Gearbox is designed to enable operation of Class 6 and Class 7 interfaces using a Class 4 torque tool for maximum flexibility at minimum cost.

The Gearbox can be configured for both shortand long Class 7 interface, in addition to Class 6 using a square insert.

The Gearbox is delivered as a complete kit including required components to adapt the tool to the interfaces as described above. Maximum outpuit is 40 kNm.

Features

- Compact design
- Low weight, 57 kg in water
- Maximum water depth 3000 meter
- Modular gear to fit different output ranges
- 10 kNm Gear ratio 1:3,78
- **15** kNm Gear ratio 1:6
- 40 kNm Gear ratio 1:14

The specification details are illustrative for marketing purposes only. Actual equipment may be different as a result of product improvement or other reasons. Specific interface and performance information should be reconfirmed at time of order placement. Envirent AS, Hattelandsveien 92, 4353 Klepp Stasjon, +47 477 77 500 post@envirent.no



SPECIFICATIONS CLASS 6-7 GEARBOX

General Technical Specifications

Туре	Class 6-7 Gearbox
Part Number	
Dimensions	mm Ø280 x L718 mm
Weight (in air / submerged)	kg ~71 / ~57
Torque	
Max. Input torque	Nm 2700
Max. Output torque	Nm 40.000
General Features	
Depth rating	MSW 3000



The specification details are illustrative for marketing purposes only. Actual equipment may be different as a result of product improvement or other reasons. Specific interface and performance information should be reconfirmed at time of order placement. Envirent AS, Hattelandsveien 92, 4353 Klepp Stasjon, +47 477 77 500 post@envirent.no

