

WIRE ROPE CUTTER 38MM WCOS38DLP

ROV TOOLING

WCOS38DLP

LIGHT WEIGHT AND RELIABILITY



Description

The WCOS38D is a double-acting hydraulic wire rope cutter designed for reliable performance in demanding industrial environments. It can cut steel wire rope up to 38 mm in diameter, with a maximum tensile strength of 1770 N/mm². The double-acting mechanism provides efficient and controlled cutting, improving operational performance and reducing cycle times. Utilizes with blade and round anvil design.

The tool is suitable for use in offshore, marine, construction, and decommissioning applications. In addition to steel wire rope, it can also be used to cut electrical power and communication cables up to 38 mm diameter, subject to material suitability. For non-standard materials or applications, consultation with us.

Typical Operations

- ▣ Tooling Operations
- ▣ Cutting Operations
- ▣ Marine Maintenance
- ▣ Construction and Rigging Operations
- ▣ General Purpose Cutter

Features

- ▣ Double-acting hydraulic operation
- ▣ Cuts up to 38 mm diameter
- ▣ Handles up to 1770 N/mm² tensile strength
- ▣ Suitable for wire ropes and cables
- ▣ Durable for harsh environments
- ▣ All-round tool
- ▣ Handles a wide range of wire sizes effectively
- ▣ Excellent performance on low diameter

▣ The specification details are illustrative for marketing purpose only. Actual equipment may be different as a result of product improvement or other reasons. Specific interface and performance information should be reconfirmed at time of order placement. Envirent AS, Robotvegen 16, 4340 Bryne, +47 477 77 500, sales@envirent.no

SPECIFICATIONS

WIRE ROPE CUTTER WCOS38DLP

Document No.: EVT-13844

Revision: 0

General Technical Specifications


Type	Wire Rope Cutter - WCOS38DLP
Part Number	WCO38-
Dimensions L x W x H	325 mm x 100 mm x 130 mm
Weight in air	21 kg
Cutting Capability	up to 38 mm / 1,5"

Hydraulic Specifications

Max. Input Pressure	220 Bar
Max. Output Pressure	220 Bar

Hydraulic Interface

Connection Blade In / Out	Jic 4
Connection Return	Jic 4



■ The specification details are illustrative for marketing purpose only. Actual equipment may be different as a result of product improvement or other reasons. Specific interface and performance information should be reconfirmed at time of order placement. Envirent AS, Robotvegen 16, 4340 Bryne, +47 477 77 500, sales@envirent.no

SPECIFICATIONS

WIRE ROPE CUTTER WCOS38DLP

Document No.: EVT-13844

Revision: 0

Inventory List:

Items listed in Inventory List are delivered with the equipment as standard.
Any additional equipment must be specified upon order.

Item	Description	Total Qty
1.	Subsea Handle	1
2.	Hydraulic Hose 1/4" Jic 4 Fm – Fm, 4m. SS	2
3.	Spare Blade	1